
Metals Loading 101

- Metals are measured in water as a concentration
- The rate at which metals enter surface water depends on the flow and is called a load or loading rate


Concentration x Flow = Load (*in pounds of metal / day***)**

- A high concentration of metals with a low flow rate results in a small load and has little impact on surface water
- A moderate concentration of metals with a high flow rate results in a large load and has a significant impact on surface water


Conservative Metals Loading Analysis




Metals Loading Sources



Metals Loading Reduction



Reach Loads



POSITIVE REACH LOAD

Natural Sources
Unmeasured Man-Made Sources
Measurement / Data Error (e.g. bad flow)

NEGATIVE REACH LOAD

Metal Precipitation
Changes in Hydrology (i.e. losing reach)
Measurement / Data Error (e.g. bad flow)


Data

EPA has been collecting data at Bonita Peak since 2010

Thorough coverage for site-wide analysis

Known tributaries, mine sites, and other sources bracketed

Key parameters: Flow, dissolved and total metals, hardness



Major Streams/Rivers

- The major streams and rivers at Bonita Peak are:
 - Animas River
 - Mineral Creek
 - Cement Creek
- Each has tributaries, some are very important source areas
- Analysis of flow data show flows are lowest at headwaters and increase downstream as expected
- Station A72 includes all tributaries and is an important station (Station 0.0)


Source Cleanup and Resulting Water Quality Improvements


- With all of the measured sources and unmeasured reach loads tabulated, it is now possible to evaluate the relative impact of addressing individual mine site sources
- Some sources can be greatly reduced such as collection and treatment in a water treatment plant (nearly 100% reduction)
- Other sources are remote or more difficult to obtain reductions (maybe 50%)
- A menu panel has been developed to evaluate the effects of various source load reductions
- Once loading calculations are complete, metal concentrations are back-calculated
- Demonstrate Zn Tool

Current Limitations of the Loading Tool


- Uncertainty in the measurements (flow and concentration)
- Variability in the availability of data (some locations are measured only once while others more often)
- Applicable only to generally conservatively transported metals/ions
 - Conservative Metals of Concern: Zinc, cadmium, manganese
 - Reactive Metals of Concern: Lead, copper, aluminum, iron
- Negative reach loads
- 2018 low flow data not included
- Tool is limited to low flow period

- Animas from Elk Creek to Bakers Bridge
- Many metal loading mines remain
 - All BPMD mines
 - Including Cement Creek
- Fishery has been marginal in this reach for a while
 - Diversity and abundance increase moving downstream
 - Fishery was impacted when treatment plant went offline in 2005





MMI Scores- September / October 2014



Priority 1-Canyon Reach(Cont.)

Goal-Meet TVS (except Al?) in Animas above Elk Creek


- Current WQ Standards
 - 1. Segment 4a; Animas from Mineral Creek to above Deer Park Creek; Agriculture, Aq Life Cold 2, Recreation E.
 - TVS + Seasonal Mod for Al, Fe, pH and Zn and SSE for Cd.
 - Aquatic Life Indicator Goal; Brook Trout
 - 2. Segment 4b; Deer Park Creek to Bakers Bridge; Agriculture, Aq Life Cold 1, Recreation E, Water Supply
 - TVS + temp mod for Arsenic expires 2021.
 - 3. Chemistry data is limited through the canyon due to remoteness

Priority 1-Canyon Reach (cont.)

Goal-Meet TVS (except Al?) in Animas above Elk Creek

- Source Areas
 - 1. All upstream priority source areas
 - 2. Cement Creek
 - Red and Bonita (65 lbs/day)
 - Mogul (21.4 lbs/day)
 - Natalie Occ. (10.23 lbs/day)
 - Grand Mogul (7.12 lbs/day)
 - Prospect Gulch (3.07 lbs/day)
 - Other

- Loading reduction of 75% at all of the mines identified
- Zinc concentrations at Elk Creek predicted to be reduced from ~310 ppb to ~130 ppb
- Poor brook trout population already in this reach
- Other metals may limit reach in addition to zinc (Al, Fe, Cd)




Priority 1-Canyon Reach (cont.)

Goal-Meet TVS (except Al?) in Animas above Elk Creek

- Data Gaps
 - 1. Limited data in Canyon reach
 - 2. Mine Pool
- Background Needs
 - 1. Mine Pool?
 - 2. Same considerations for other priority areas.



- Mineral Creek between
 Mill Creek and Middle
 Fork Mineral Creek
- Significant improvement in water quality has resulted from actions of stakeholders
- Several metal loading mines remain, including:
 - Koehler
 - Silver Ledge
 - Brooklyn
- Brook trout found in this reach in 2016 (for the first time ever)








Priority 4-Upper Mineral Creek

- Current WQ Standards
 - 1. Segment 8 Source to Above South Fork: *Agriculture, Recreation E.*
 - No Acute Stds. Maintain Ambient Conditions to Protect Animas.
- Source Areas
 - 1. Koehler (3 lb Zn/day)
 - 2. Silver Ledge (5 lb Zn /day reach load)

- Loading reduction of 75% at these mines:
 - Silver Ledge
 - Koehler
 - Brooklyn
- Zinc concentrations in Priority Reach #4 predicted to be reduced from ~200 ppb to ~60 ppb
- Marginal brook trout population already in this reach
- Other metals are likely ecologically limiting (Pb, As)








Priority 4-Upper Mineral Creek (Cont.)

- Data Gaps
 - 1. Complicated Area
 - 2. Silver Ledge Limited Data. (Porphyry Gulch, Big Horn Creek?)
 - 3. Status of Existing Fishery
 - Is the brook trout fishery in the mainstem resident or coming in from Mill Creek?
- Background Needs
 - 1. Porphyry Gulch, Big Horn Gulch?
 - 2. Unnamed tributary near bottom of EU3



- South Fork of Mineral Creek from headwaters to mouth
- Water quality is relatively good already
- A few metal loading mines remain, including:
 - Bandora
- Fishery has been stable for a while in this reach
 - Brook trout- abundant
 - Rainbow trout- stocked
 - Cutthroat trout- unknown






Priority 3-South Fork Mineral Creek

- Current WQ Standards
 - 1. Segment 6; South Fork Mineral; Aquatic Life Cold 1
 - 2. TVS + SSE for Cd.
- Source Areas
 - 1. Bandora (3.35 lbs Zn/day)
 - 2. Upstream? (126 lb Al/day & low pH)


- Loading reduction of 75% at these mines:
 - Bandora
- Zinc concentrations in Priority Reach #4 predicted to be reduced from ~40 ppb to ~25 ppb
- Good brook trout population already in this reach
- Other metals are likely more problematic than zinc (Al, Cd)



Priority 3-South Mineral Creek (Cont.)


- Data Gaps
 - 1. High Variability in Bandora Loading Estimates.
 - 2. Increase Resolution of Risk Evaluation.
 - 3. Upstream sources?
 - 4. Current Status of Fishery
- Background Needs
 - 1. Upstream sources?

- Animas from Minnie
 Gulch to Cement Creek
- Many metal loading mines remain
 - Upper Watershed Sources
 - Silver Wing / Tom Moore
 - Pride of the West
 - Mayflower
- Fishery has been present in this reach for a while
 - Brook trout- stable at top
 - Cutthroat troutoccasional from tributaries



Community Surveys (Fish)

Density of Brook Trout in the Animas River above Howardsville- CPW Surveys





Priority 2-Howardsville Area (Cont.)


- Current WQ Standards
 - 1. Segment 3a; Mainstem of the Animas from Minnie Gulch to Cement Creek; Agriculture, Aq. Life Cold 1, Recreation E.
 - 2. TVS + Seasonal Mod for Cd, Mn, Zn and SSE for Cd.
 - Commission recognized the many unknowns and uncertainties in analysis of source loadings in 3a.
 - Encouraged the continuation of characterization efforts to determine unknown sources of loading
 - 3. Aquatic Life Indicator Goal
 - Brook Trout: TMDL Target- "Enhancement of existing brook trout fishery"


Priority 2-Howardsville Area

- Source Areas
 - 1. California Gulch (77 lbs Zn /day)
 - Columbus Mine (Adit Load ~0.5 lbs Zn/day, Reach loads 20 lbs Zn /day)
 - Frisco/Bagley (Reach loads ~6 lbs/day)
 - Vermillion?
 - 2. Mainstem Animas
 - Silver Wing (Reach Load 11 lbs/day)
 - Tom Moore (Reach Load 23.6 lbs/day)
 - 3. Pride of the West Mill (Reach Load ~10 lbs/day)
 - 4. Mayflower (45-66 lbs/day)









Priority 2-Howardsville Area (Cont.)

- Data Gaps
 - Reach Loads Don't Match Mine Loads (Bagley, Columbus, Vermillion)
 - 2. Silver Wing (Limited Adit Data)
 - 3. Tom Moore (Limited Data)
 - 4. Pride of the West Mill (Limited Data, Still Draining?, Confirm Loading)
 - 5. Mayflower
 - 6. South Fork Eureka
- Background Needs
 - 1. Confirm Reach Loads in California Gulch are Anthropogenic
 - 2. Confirm Vermillion is Not Loading

